



说明书材质要求: 105g 有光铜版纸	说明书成品尺寸: 105*143mm
第一: 专色用6级防晒油墨+CMYK油墨要求: 1. PANTONE137C专色油墨 (专色用6级防晒油墨): 如果自己配色, 油墨配比为: 酒联中黄 (防晒) 2000g 酒联金红 (防晒) 225g 2. C色油墨: 酒联天蓝墨 3. M色油墨: 酒联金红墨 4. Y色油墨: pantone123C专色油墨 5. K色油墨: 酒联黑墨	第二: 特别注意: 1. 印刷时看样请参考我司提供的实物样品颜色。不得偏色 2. 137C的专色 不得 参考C=0, M=35, Y=90, K=0对应的四色 色谱颜色来看样印刷 Pantone 137C Black (两色印刷)
折叠方式: 风琴折 (20P 以下 用风琴折) / 骑马钉 (20P 以上 用骑马钉) 特殊情况: 16P/20P: 风琴折 + 对折	备注:

特别注意: 此页内容不印刷

风琴折 + 对折 页面顺序

16P 页面顺序

9	10	11	封面
12	13	14	封底

1	2	3	4
5	6	7	8

20P 页面顺序

11	12	13	14	封面
15	16	17	18	封底

1	2	3	4	5
6	7	8	9	10

更改记录	1. 新制作				
	0525.V02	2025.5.7	Ligeia		
	版本号	日期	设计师		

INGCO

www.ingco.com

PRODUCT MANUAL

MESH VISOR



HFSPC21



Original Instructions

GENERAL SAFETY WARNINGS

Thank you very much for purchasing this product.

** WARNING**

Please read this User Manual carefully to ensure proper operation.

Be sure to read "Safety Precautions" before using the product.

Be sure to keep this manual in a place where you can refer to it any time.

** WARNING: To prevent injury**

If it is damaged, never use it.

- Do not clean with benzene, thinner, kerosene, acidic detergent, alkaline detergent, etc.
- Do not use in situations where there is a high risk of this product will fall off.
- Never disassemble or modify the main body or accessories.
- Do not use it only by children or within reach of infants.
- Do not use for purposes other than those described in this manual.
- Do not use while driving a car / motorcycle or bicycle.

** CAUTION: To prevent injury**

Be careful when handling the film in a way that the edges of the film do not hurt your hands or face.

- Not use if the film is damaged or dirty.
- Install the film and frame correctly according to the instructions in this manual.
- Discontinue use if you have an abnormality on your skin or if it does not fit your skin.

Precautions for use

- It cannot be used in places where harmful dust or gas is generated, or for the purpose of preventing them.
- Discontinue use if you have an abnormality on your skin or it does not fit your skin.
- If you feel sick while wearing it, discontinue to use.
- If you feel that your head is tight, adjust the mounting position or insert some material like cushion.
- Please keep out of reach of infants.
- Do not use or store near fire.

- Store this product away from high temperatures and humidity and places exposed to direct sunlight.
- When disposing of this product, please dispose of it in accordance with the regulations of the local government.

INTENDED USE

This product is to reduce the contact of liquid droplets and dust to the face. Do not use it as a protective device against solids or fire.

SPECIFICATIONS


The face shield provides basic personal protection. In order to use the safety glasses correctly, please familiarize yourself with their features, how they fit and how to care for them by reading these instructions carefully.


Technical specifications

Model	HFSPC21
Length×Width×Height	250×240×170mm
Weight	270g
Material	PVC
Optical class	II
UV Resistance	NONE

Energy resistance: B - Medium energy impact (resistance to impact of a steel ball with a nominal diameter of 6 mm and a minimum weight of 0.86 g flying at a speed of 120 m/s),

OPERATION PICTURE





PRODUCT FEATURES

1. Low reflection

- The wearer has a clear field of vision because there is low reflection of lighting.
- Since the lighting does not reflect on the wearer's face, the face is clearly visible to those who are facing them.

2. Anti fogging

- Water droplets spread over the surface, increasing the surface area and drying quickly.


This prevents fogging in many situations.

3. High transparency & Clear

- The coloration is minimal, and clear vision can be ensured.

MAINTENANCE&CARE

- If the film surface become dirty, soak a soft cloth such as tis sue or eyeglass cloth with commercially available rubbing alcohol (excluding gel type) or diluted neutral detergent, and wipe it gently.
- If unevenness remains after wiping, wipe it gently with a tissue soaked in water and wrung well. There is concave and convex processing on the film.
- If you rub it violently, the unevenness is broken and the function may deteriorate.



MADE IN CHINA 0525.V02



INGCO Global

www.ingco.com

NEWWAY TECHNOLOGY (SUZHOU) CO., LIMITED

No. 20 Dagang Road, Fuqiao Town, Taicang City, China