



|                                                                                                                                                                                                                                   |                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 说明书材质要求: <b>105g 有光铜版纸</b>                                                                                                                                                                                                        | 说明书成品尺寸: <b>105*143mm</b>                                                                                                                                                     |
| 第一: <b>专色用6级防晒油墨+CMYK油墨要求:</b><br>1. PANTONE137C专色油墨 ( <b>专色用6级防晒油墨</b> ):<br>如果自己配色, 油墨配比为: 酒联中黄 ( <b>防晒</b> ) 2000g<br>酒联金红 ( <b>防晒</b> ) 225g<br>2. C色油墨: 酒联天蓝墨<br>3. M色油墨: 酒联金红墨<br>4. Y色油墨: pantone123C专色油墨<br>5. K色油墨: 酒联黑墨 | 第二: 特别注意:<br>1. 印刷时看样请参考我司提供的实物样品颜色。不得偏色<br>2. 137C的专色 <b>不得</b> 参考C=0, M=35, Y=90, K=0对应的四色<br>色谱颜色来看样印刷<br><div><div></div> Pantone 137C<br/><div></div> Black (两色印刷)</div> |
| 折叠方式: <b>风琴折</b> ( <small>20P以下<br/>用风琴折</small> ) / <b>骑马钉</b> ( <small>20P以上<br/>用骑马钉</small> )<br>特殊情况: 16P/20P: 风琴折 + 对折                                                                                                      | 备注:                                                                                                                                                                           |

**特别注意: 此页内容不印刷**

风琴折 + 对折 页面顺序

16P 页面顺序

|    |    |    |    |
|----|----|----|----|
| 9  | 10 | 11 | 封面 |
| 12 | 13 | 14 | 封底 |

|   |   |   |   |
|---|---|---|---|
| 1 | 2 | 3 | 4 |
| 5 | 6 | 7 | 8 |

20P 页面顺序

|    |    |    |    |    |
|----|----|----|----|----|
| 11 | 12 | 13 | 14 | 封面 |
| 15 | 16 | 17 | 18 | 封底 |

|   |   |   |   |    |
|---|---|---|---|----|
| 1 | 2 | 3 | 4 | 5  |
| 6 | 7 | 8 | 9 | 10 |

|      |          |           |       |  |  |
|------|----------|-----------|-------|--|--|
| 更改记录 | 1. 新制作   |           |       |  |  |
|      | 0825.V01 | 2025.8.29 | yilia |  |  |
|      | 版本号      | 日期        | 设计师   |  |  |

# INGCO

[www.ingco.com](http://www.ingco.com)

**PRODUCT  
MANUAL**

## MECHANIC GLOVES



**HGMG01-XL**



SCAN FOR VIDEO

## Original Instructions

**GENERAL SAFETY WARNINGS****⚠ WARNING!**

Read all safety warnings, instructions, illustrations and specifications

**⚠ CAUTION!**

Inspect glove before every use. Check glove for signs of wear. Replace if damaged or frayed. Never use with moving or serrated blades. Never use with equipment or machinery that may entangled the glove in its moving parts.

**THE SYMBOLS IN INSTRUCTION MANUAL**

|                                                                                  |                                           |
|----------------------------------------------------------------------------------|-------------------------------------------|
|  | Read the instruction manual before using. |
|  | General handling                          |
|  | Construction work                         |
|  | Express handling                          |
|  | Repair processing                         |
|  | Machining                                 |
|  | Assembly maintenance                      |

**INTENDED USE**

Wood working

Agriculture

Food handling

Packaging

Auto repairing  
 Small components assembly  
 Electronics industries  
 Semiconductor industries  
 Maintenance  
 General applications  
 Riding

## SPECIFICATIONS

|                  |                                                    |
|------------------|----------------------------------------------------|
| <b>Model No.</b> | HGMG01-XL                                          |
| <b>Material</b>  | Sponge, microfiber, polyester, stair cloth, rubber |
| <b>Size</b>      | XL                                                 |
| <b>Package</b>   | 1pair/card                                         |

Due to our continuing program of research and development, the specifications herein are subject to change without notice.

## OPERATION

Care instructions

Do not wash with high temperature water (recommended water temperature is 10-30°C)

Dry in a cool place and avoid exposure to the sun

Must be thoroughly dried after washing

Product descriptions

Microfibre material palm reinforced on palm enhance extreme abrasion resistance.

Exceptional comfort

Designed to be robust and durable

Advanced yarn technology increases worker confidence while on the job

EN 388: 3131X



MADE IN CHINA 0825.V01



INGCO Global

[www.ingco.com](http://www.ingco.com)

NEWWAY TECHNOLOGY (SUZHOU) CO., LIMITED

No. 20 Dagang Road, Fuqiao Town, Taicang City, China