




说明书材质要求: 105g 有光铜版纸	说明书成品尺寸: 105x143mm
第一: 专色+CMYK油墨要求: 1.K色油墨: 洒联黑墨	第二: 特别注意: 暂无
	 Black (单色印刷)
折叠方式: 风琴折 (20P 以下 用风琴折)	备注:
特别注意: 此页内容不印刷	

更改记录	1. 新制作			
	0826.J01	2026.8.27	YURI	
	版本号	日期	设计师	

Jadever

Rain cloak



JDRC1001

**PRODUCT
MANUAL**

Original Instruction

Product Specifications

1. Material: 100% New PVC
2. Thickness: 0.25mm
3. Style: Hooded poncho one-piece raincoat
4. Size reference: 125*200cm

Before Use

1. Unfold the raincoat gently, check for cracks, pinholes, damage on the surface, seams and edge binding.
2. Confirm the hood, body and side snap buttons are intact before wearing.
3. Keep away from sharp objects, high-temperature heat source and open flame. PVC material is flammable and easy to melt under high heat.

Correct Usage

1. Put the hood over your head first, drape the poncho over your shoulders and body.
2. Fasten the side snap buttons to prevent rainwater from splashing inside.
3. Suitable for riding, hiking, daily outdoor travel, temporary outdoor rain protection.
4. Avoid strenuous pulling, excessive stretching while wearing.

Prohibited Operations

- ✗ Do not scratch with sharp knives, nails, branches or metal parts.
- ✗ Do not expose to car exhaust, hot engine, cigarette butts and fire.
- ✗ Do not fold tightly when the raincoat is wet; avoid long-term soaking in water.
- ✗ Not for heavy-duty long-time outdoor engineering operation.

Cleaning & Storage

1. After use, rinse with clean water to wash off mud, dust and dirt, hang in cool & ventilated place to air dry naturally.
2. Do not machine wash, iron, tumble dry or expose under strong sunlight for a long time.
3. After fully dried, fold loosely and store in dry cabinet, avoid damp mildew.
4. If crack or leakage occurs, stop using.

Safety Tip

This PVC poncho is for daily rainproof use only. Prolonged sun aging will reduce toughness and waterproof performance. Please keep properly for longer service life.



www.jadevermall.com

KEYWAY TECHNOLOGY (NANTONG) CO., LTD

MADE IN CHINA 0826.V01

