



说明书材质要求: 105g 有光铜版纸	说明书成品尺寸: 105x143mm
第一: 专色+CMYK油墨要求: 1.K色油墨: 洒联黑墨	第二: 特别注意: 暂无
	 Black (单色印刷)
折叠方式: 风琴折	备注:

特别注意: 此页内容不印刷

风琴折 + 对折 页面顺序

16P 页面顺序

9	10	11	封面
12	13	14	封底

1	2	3	4
5	6	7	8

20P 页面顺序


11	12	13	14	封面
15	16	17	18	封底

1	2	3	4	5
6	7	8	9	10

更改记录	1. 新产品				
	1223.J01	2023.12.28	Athena		
	版本号	日期	设计师		

Jadever

WATER HOSE REEL



JDVZ1515

**PRODUCT
MANUAL**

SPECIFICATIONS

Please read these operating instructions carefully and note the information given. Use these operating instructions to familiarize yourself with the product, the proper use and the safety instructions.

Correct use:


The Hose Reel is provided with auto rewind system and intended for use in the private home and hobby garden or car washing etc.

⚠ NOTE

The item cannot be used for drinking water as well as harmful air of causticity, chemistry, grease or poisonous liquid.

Please hold the hose stop ball when the hose retracts.

Parts list:



No	Description	Quantity
1.	Hose reel	1
2.	Mounting bracket	1
3.	Self-tapping bolts	4

OPERATION PICTURE

Installation

1. Take out the unit and accessories from the box,
2. Choose a suitable place near source of water or air
3. Take the mounting bracket as a template to mark the position for screws and drill four holes on the wall (Figure B)




Figure A




Figure B

4. Fix the bracket by four self-taping screws accordingly, (Figure A)
5. Connect the reel to the mounting bracket.




Figure C

⚠ NOTE

- 1. The reel should be installed to a wall or post horizontally.**
- 2. It is suggested to mount the reel approximately 1 meter above the ground.**

Operation

Connect the leader hose to the air or water source, then turn on the switch,

Unwind

- Pull out hose to desired length and stop.

Roll up the hose

- With the end of the hose, go back to the Hose Box.
- Turn off the faucet, loosen the connector of lead hose

⚠ NOTE

Please do not over pull the hose to the end.

MAINTENANCE&MALFUNCTIONS

Storage

Cleaning

The hose box is maintenance-free and must not be cleaned internally with water.

Maintenance

- When not in use, please turn off the source of water/air, and turn on the nozzle to release the pressure
- The reel cannot be used to transmit any chemical and substance
- When not in use for an extended period of time it is recommended to be stored in a cool dry place.

Troubleshooting

Default	Reason	Solution
The hose could not retract	Pull out all the hose, then it is locked, and left no more length to unlock	Go through the window to turn the reel for half a turn in the direction of hose being pulled out.
	Spring is fatigued	Please re-preload the spring for 1-2 turns: remove the small cover, use spanner to clamp the groove of preload wheel, unscrew four bolts on the wheel, then rotate it for 1-2 turns in clockwise, then fasten the bolts, and replace the cover. Figure D






Figure D



   **Jadevermall**
www.jadevermall.com
KEYWAY TECHNOLOGY (NANTONG) CO., LTD
MADE IN CHINA 1223.J01
No.99, Gugang Road, Chongchuan District,
Nantong City, China