



说明书材质要求: 105g 有光铜版纸	说明书成品尺寸: 105*143mm
第一: 专色用6级防晒油墨+CMYK油墨要求: 1. PANTONE137C专色油墨 (专色用6级防晒油墨): 如果自己配色, 油墨配比为: 酒联中黄 (防晒) 2000g 酒联金红 (防晒) 225g 2. C色油墨: 酒联天蓝墨 3. M色油墨: 酒联金红墨 4. Y色油墨: pantone123C专色油墨 5. K色油墨: 酒联黑墨	第二: 特别注意: 1. 印刷时看样请参考我司提供的实物样品颜色。不得偏色 2. 137C的专色不得参考C=0, M=35, Y=90, K=0对应的四色色谱颜色来看样印刷  Pantone 137C  Black (两色印刷)
折叠方式: 风琴折	备注:

特别注意: 此页内容不印刷

风琴折 + 对折 页面顺序

16P 页面顺序

9	10	11	封面
12	13	14	封底

1	2	3	4
5	6	7	8

20P 页面顺序

11	12	13	14	封面
15	16	17	18	封底

1	2	3	4	5
6	7	8	9	10


更改记录	1. 单色改双色			1. 更新公司名和地址			1. 更新认证内容		
	0226.V07	2026.2.27	QL	0324.V05	2024.3.20	CXY	0425.V06	2025.4.29	CXY
	版本号	日期	设计师	版本号	日期	设计师	版本号	日期	设计师

INGCO

www.ingco.com

PRODUCT MANUAL

KNEEPADS



HKPT0101



GENERAL SAFETY WARNINGS** WARNING!**

- **Before every use, please always conduct a check, if any defects found, please STOP use and change a new one.**
- **Please read this user manual before use and be sure that you choose the correct product for the intentional use, and please always follow the instruction in this user manual! Keep for future use!**

The kneepads will not afford complete protection against injuries. Wear further personal protective clothing and equipment (PSA) in accordance with your actual work assignment, such as safety shoes, a hard hat or goggles. A high degree of contamination, modifications or improper use can reduce the kneepads performance to a dangerous level. Kneepads damaged at the surface, at the same or at the strips will no longer offer protection and need be disposed of as resident waste.

Do not use the kneepads in conditions of extreme temperature, which can reduce the protective performance. In correspondingly dangerous jobs, wear additional PPE articles such as protective glasses or hats as additionally appropriate.

Their protective capability should be examined prior to each use.

The kneepads may be damaged by sharp objects. Avoid contact with chemical substances and fire.

With proper maintenance and storage, the product service life is 3 years from the date of manufacture. You shall replace the product accordingly.

Contact your doctor before usage if you have problems with your knees.

Manufacturer is not liable for injuries which arise from unintended usage of the kneepads. Product type and performance in 14404-1:2024, EN 14404-2:2024, EN 14404-3:2024 EN 14404-4:2024 EN 14404-5:2024, EN 14404-6:2024

Four product types

Type	Descriptions
Type 1	wearable knee protector personal protective equipment which protects the knee independent from other garments and is worn on the leg.
Type 2	knee protector combination of a garment with knee pockets or other means of attachment and pads forming the knee protection.
Type 3	knee mat device not attached to the body, but put into place as the user moves around
Type 4	knee protectors, kneeling systems knee protectors that can be worn on the body for one or both knees, which are parts of devices with additional functions

Three performance levels

Performance level	Descriptions
Performance level 0	knee protectors providing no protection against penetration and with a force distribution less than 30 N when tested on flat even surface
Performance level 1	knee protectors providing protection against penetration at a force of at least 100 N and with a force distribution less than 30 N when tested on flat even surface.
Performance level 1U	knee protectors providing protection against penetration at a force of at least 100N and a force distribution less than 30 N when tested on uneven surface.
Performance level 2	knee protectors providing protection against penetration at a force of at least 250N and with a force distribution less than 30 N when tested on uneven surface.

THE SYMBOLS IN INSTRUCTION MANUAL

	Operator's manual; operating instructions. Read the instruction manual before using.
	Do not wash.
	Do not bleach.
	Do not tumble dry.
	Do not iron.
	Do not dry clean.
	CE conformity.
	Knee protector's number of the performance level is level 1 according to the EN 14404-2:2024
	Left knee side at which the wearable knee protector is to be worn
	Right knee side at which the wearable knee protector is to be worn

SPECIFICATION

Product	Kneepads, 2 pads Ideal protection and comfort for working on floor surfaces. For concrete or parquet floors for laying tiles and for garden work.
Model No.	HKPT0101
Level info	Standard: EN 14404-2:2024 Identifier of the standard corresponding to the product-type 1, Performance level 1. Regulation (EU) 2016/425
Size	S
Examining Institute	TÜV Rheinland LGA Products GmbH, Tillystraße 2, D-90431 Nürnberg, NB0197

Material specifications

Body	Terylene Textile
Stitched protective cap	PVC
Protective filling	EVA Foam
Gel pad filling	polyethylene
Straps with Velcro fastening	Neoprene

INTENDED USE

The kneepads are suitable for all activities in a kneeling position on rough or smooth surfaces, and the kneepads are also designed for domestic use. The kneepads must not be used for jobs in chemically contaminated areas. It can either be worn on top of the usual working clothes or directly on the skin.

The kneepads are neither suitable for spiky surface on which a spot pressure of more than 100N acts nor for objects higher than 1 cm and lying on the ground. They are not appropriate for difficult conditions, such as: pointed surfaces like stones in mines or quarries. The kneepads must not be on surface hotter than 60°C. Nor are the kneepads suitable as a means of security in areas, where the danger of falling exists. For the use in all other areas not referred to above please contact the manufacturer. The user shall be liable for any damage and accidents in any cases or improper use.

OPERATION

Attaching the knee pads

The kneepads are attached at the knee by means of fastener straps such that the kneeling area is covered. The upper edge of the knee pad should stay above the level of the bent knee in this. The knee pads may be worn over the usual work clothing.

The straps must fit comfortably while kneeling to avoid restricting blood flow. For that reason, do not kneel for more than 1 hour and then walk around without kneepads for at least 10 minutes.

WARNING!

Bear in mind that the fastener straps at the knee should not be fastened too tightly. The blood supply could be affected by this.

They are only appropriate for people with a waist girth max 100cm. The kneepads size is about 215x180mm. Afterwards check if the kneepads are comfortable and sufficiently seated for the tasks.

The kneepads are NOT for water resistant, NOT fire resistance and NOT for chemical resistance.

Cleaning

Depending on the degree of dirt after use, tap and brush out the kneepads.

The kneepads are not washable. Avoid washing the kneepads by hands or in washing machine.




MAINTENANCE&MALFUNCTIONS

Maintenance and care

Examine your kneepads for damage prior to each use. If the knee pads are damaged, for example by tears, fractures or detached parts then they are no longer usable and may not be used. Please do not make modifications to the article since otherwise protection can no longer be ensured. Increased contamination, modification or erroneous use can reduce the performance of the kneepads.

Disposal

For correct disposal of the product please contact your local waste disposal company.



MADE IN CHINA 0226.V07



INGCO Global

www.ingco.com

NEWWAY TECHNOLOGY (SUZHOU) CO., LIMITED
No. 20 Dagang Road, Fuqiao Town, Taicang City, China